

FIG. 1




FIG. 2

000221" T4E T5260




FIG. 3

FIG. 12 is a perspective view of a second embodiment of the elongated member 12. It shows a rectangular member with a central slot 172 and two raised portions 174 on its top surface.

FIG. 5



#181E




FIG. 6




FIG. 7




FIG. 8

00622T-THETS/60




FIG. 9




FIG. 10

09754344-122000




FIG. 11






FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

0975144-122900




FIG. 17






FIG. 20




FIG. 21






FIG. 23



005221-122900




FIG. 24

FIG. 25

006227" THE 5260




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31

02-13-1960




FIG. 32




FIG. 33




FIG. 34






FIG. 35A




FIG. 35B




FIG. 35C




FIG. 35D




FIG. 35E




FIG. 35F




FIG. 36

005221-125250




Fig. 38




Fig. 37





Fig. 39




Fig. 40




Fig. 41




Fig. 42

09751341.122900




Fig. 43

005227.FHEIS/60




Fig. A4



005221" T4E15,250




FIG. 45




Fig. 46

006227 THE 5/60




Fig. 47